## **Material Safety Data Sheet**

Product Name: Brilliant Enviro Code: 0120

WHMIS	Protective Clothing	TDG Road / Rail
Ţ		DRIVE

SECTION I – PRODUCT IDENTIFICATION AND PREPERATION INFORMATION

Product Name: Brilliant Enviro Effective Date: Apr. 5, 16 Code: 0120

**Product Use:** Organic acid based cleaner and descaler.

WHMIS: WHMIS Class D-2B: Material causing other toxic effects (TOXIC).

WHMIS Class E: Corrosive liquid.
TDG CLASS 8: CORROSIVE LIQUID

TDO OLAGO O O Fracina and at the least and and

TDG CLASS 9.2: Environmentally hazardous material.

Shipping name: Corrosive Liquid N.O.S. CLASS 8 UN:1760 PK GR: III

Manufacturer: Supplier: Bay City Sanitation

150 Cappin Crossopt Unit 12

150 Connie Crescent, Unit 12
Concord, Ont. L4K 1L9
Barrie, Ontario L4M 5E1
(705) 728-4332

**EMERGENCY PHONE: CANUTEC (613) 996-6666** 

SECTION II – HAZARDOUS INGREDIENTS				
Ingredients	CAS#	Wt%	ACGIH-TLV	LC <sub>50</sub> /LD <sub>50</sub>
Organic Salt	506-89-8	7-15	Not available.	96 hour LC0 >140 mg/L (rainbow trout), 48 hour LC50 71.1 mg/L (ceriodaphnia dubia), 15 minute IC50, 16.23% effect at a concentration of 10 mg/L (Vibrio fischeri, 4H6002)

SECTION III - PHYSICAL DATA

**Boiling Point:** 100°C (212°F) **Specific Gravity:** Weighted average: 1.10

(Water = 1.00) Vapour Pressure: Vapour Density: 1 (Air=1). Same as water. Solubility in Water: Percent Volatile: Complete Not available. Physical State: Liquid **Evaporation Rate:** Not available. **Appearance and Odour:** Blue / Deodorizer fragrance. pH (as supplied): <2.5 (acidic)

**SECTION IV - FIRE AND EXPLOSION DATA** 

Flammability:Non-flammableFlash Points:Not applicable.Flammable Limits:Not applicable.

Hazardous Combustion Products: Thermal decomposition may yield oxides of carbon, nitrogen, and chlorine. Hydrogen gas

may be released upon contact with certain metals.

**Means of Extinction:** Use extinguishing media suitable for surrounding materials.

Special Fire Hazards: Evacuate personnel to a safe area. Keep containers cool with water spray. Avoid

breathing decomposition products. Wear self-contained breathing apparatus and full body

protection.

Unusual Fire and Explosion Hazards: At temperatures above 60°C/140°F acid action on most metals may release hydrogen, a highly

flammable and explosive gas.

Continued...

TDG:

Date Printed: 05/04/16 Page: 1 of 3

## **Material Safety Data Sheet**

Product Name: Brilliant Enviro Code: 0120

SECTION V - REACTIVITY DATA

Stability: Stable up to 110°C / 230°F

Incompatibility: Avoid contact with oxidizers. This material may be extremely hazardous in contact with

chlorates or nitrates. This material is acidic. Contact with hypochlorites (e.g. chlorine bleach, sulfides, or cyanides will liberate toxic gases. Contact with alkaline materials (e.g. aqua

ammonia) will generate heat.

Thermal decomposition may yield oxides of carbon, nitrogen, and chlorine. Hydrogen gas may **Hazardous Decomposition Products:** 

be released upon contact with certain metals.

**SECTION VI – TOXICOLOGICAL PROPERTIES** 

Routes of Entry:

**Chronic Effects on Humans:** 

**Synergistic Materials:** 

Waste Disposal:

Eye contact. Ingestion. **Acute Effects on Humans:** 

Eye: Causes burns to the eyes. Acute eye irritation/corrosion test: This product was found to be Corrosive to the eyes when tested using the Modified Draize method (OECD Guidelines for Testing of Chemicals, Sec. 4-5, 1992.) Skin: Prolonged or repeated contact can cause irritation. Non Corrosive to Skin: (as defined and tested in accordance with the U.S. OSHA's

Hazard Communication Standard, DOT Hazardous Material Regulations, Canada's WHMIS regulations and TDG Regulations. Classified as a mild skin irritant as per the 1992 OECD Guideline for Testing of Chemicals, Number 404 "Acute Dermal Irritation/Corrosion.")

Ingestion: This product may be harmful or fatal if ingested. Inhalation: Not a likely route of exposure due to physical properties. Product has a low vapour pressure at room temperature and is not expected to present a significant inhalation hazard under ambient conditions. Product can be irritating to the respiratory tract if inhaled as a mist or if the material is vaporized.

CARCINOGENIC: Non-hazardous by WHMIS/OSHA criteria. Not listed by IARC, NTP, or ACGIH. Teratogenicity, Mutagenicity, Reproductive Effects: This product was found not to

be mutagenic when tested by the Ames Assay, (OECD Guidelines for Testing of Chemicals, Sec. 471)

Skin: Prolonged or repeated exposure can cause drying, defatting, and dermatitis. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Not available.

**SECTION VII – PREVENTATIVE MEASURES** 

Gloves: Seamless Neoprene. **Eye Protection:** Splash goggles.

**Respiratory Protection:** Not normally required when used as directed.

Other Protective Equipment: Suggested protective clothing may not be sufficient, consult a specialist BEFORE handling this

product.

**Engineering Controls:** General ventilation normally adequate. Ensure that eyewash stations and safety showers are

proximal to the workstation location.

Evacuate area. Ventilate area. Collect for disposal. Clean up remaining materials from spill with Leak and Spill Procedure:

suitable absorbent. Small spills may be absorbed with non-reactive absorbent (sand) and placed in suitable, covered, labeled containers. For large spills provide diking or other appropriate containment to keep material from spreading. Prevent large spills from entering sewers or waterways. If diked material can be pumped, store recovered material in compatible drums for recovery or disposal. Observe all personal protection equipment recommendations.

Consult municipal, provincial, and federal laws.

**Storage Requirements:** Keep Out Of Reach Of Children. Keep container tightly closed. Store in fiberglass,

> polyethylene, or polypropylene containers. Do not store in metal containers, especially aluminum. Storage in certain metal containers at temperatures above 60°C/140°F may result in

hydrogen gas evolution. Do not store at temperatures above 48°C/120°F.

SECTION VIII - FIRST AID

Check for and remove any contact lenses. IMMEDIATELY flush eyes with running water for at Eye:

least 15 minutes, keeping eyelids open. COLD water may be used. DO NOT use any eye

ointment. Seek medical attention.

Skin: Immediately flush with mild soap and water for 15 minutes. Seek medical attention if irritation

develops. Remove contaminated clothing and launder before reuse.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen

and seek medical attention.

Ingestion: DO NOT induce vomiting. Drink three glasses cold water. Examine the lips and mouth to

> ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt, or waistband. If the victim is not breathing, perform mouth-to-mouth

resuscitation. Seek immediate medical attention.

Continued...

Date Printed: 05/04/16 Page: 2 of 3

## **Material Safety Data Sheet**

Product Name: Brilliant Enviro Code: 0120

## **SECTION IX - PREPERATION / OTHER INFORMATION**

References: Not available.

Additional Remarks: No additional remark.

Validated by Allspar Solutions Inc. on April 5, 2016

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Allspar Solutions Inc. expressly disclaims all expressed or implied warranties of merchantability and fitness for a particular purpose with respect to the product provided.

Date Printed: 05/04/16 Page: 3 of 3