




# Material Safety Data Sheet

Product Name: Pow-R Code: 91350

<b>WHMIS</b>	<b>Protective Clothing</b>	<b>TDG Road / Rail</b>
		

## SECTION I – PRODUCT IDENTIFICATION AND PREPERATION INFORMATION

<b>Product Name:</b>	Pow-R	<b>Effective Date:</b>	Apr. 5, 16	<b>Code:</b>	91350
<b>Product Use:</b>	Cleaner				
<b>WHMIS:</b>	WHMIS Class D-2B: Material causing other toxic effects (TOXIC).				
<b>TDG:</b>	Not regulated under TDG (Canada). Not applicable (PIN and PG).				
<b>Manufacturer:</b>	Allspar Solutions Inc. 150 Connie Crescent, Unit 12 Concord, Ont. L4K 1L9	<b>Supplier:</b>	Bay City Sanitation 189 Brock Street Barrie, Ontario L4M 5E1 (705) 728-4332		
<b>EMERGENCY PHONE: CANUTEC (613) 996-6666</b>					

## SECTION II – HAZARDOUS INGREDIENTS

Ingredients	CAS #	Wt%	ACGIH-TLV	LC <sub>50</sub> /LD <sub>50</sub>
Isopropyl alcohol	67-63-0	5-10	TWA: 400 CEIL: 500 (ppm) TWA: 900 CEIL: 1225 (mg/m <sup>3</sup> )	ORAL (LD <sub>50</sub> ): Acute: 3600 mg/kg (mouse). VAPOR (LD <sub>50</sub> ): Acute: 16970 ppm 4 hours (Rat).
Propylene Glycol	57-55-6	10-30	Not Available	ORAL (LD <sub>50</sub> ): Acute: 20-34 g/kg (rat).

## SECTION III – PHYSICAL DATA

<b>Boiling Point:</b>	The lowest known value is 82.22°C (180°F) (Isopropyl Alcohol). Weighted average: 89.58°C (193.2°F)	<b>Specific Gravity:</b>	Weighted average: 0.90 (Water = 1.00)
<b>Vapour Pressure:</b>	The highest known value is 33 mm of Hg (20°C) (Isopropyl Alcohol).	<b>Vapour Density:</b>	The highest known value is 2.08 (Air = 1.00) (Isopropyl Alcohol).
<b>Solubility in Water:</b>	Soluble	<b>Percent Volatile:</b>	Not available.
<b>Physical State:</b>	Liquid	<b>Evaporation Rate:</b>	Not available.
<b>Appearance and Odour:</b>	Red / Mint.	<b>pH (as supplied):</b>	9.0

## SECTION IV – FIRE AND EXPLOSION DATA

<b>Flammability:</b>	Non-flammable.
<b>Flash Points:</b>	Not applicable.
<b>Flammable Limits:</b>	Not applicable.
<b>Hazardous Combustion Products:</b>	These products are carbon oxides (CO, CO <sub>2</sub> ). Some metallic oxides.
<b>Means of Extinction:</b>	SMALL FIRE: Use DRY chemicals, CO <sub>2</sub> , water spray or foam. LARGE FIRE: Use water spray, fog, or foam. DO NOT use water jet.
<b>Special Fire Hazards:</b>	Not available.

Continued...

# Material Safety Data Sheet

Product Name: Pow-R Code: 91350

## SECTION V – REACTIVITY DATA

<b>Stability:</b>	The product is stable
<b>Incompatibility:</b>	Highly reactive with reducing agents. Reactive with oxidizing agents. Avoid contact with excessive amount of heat.
<b>Hazardous Decomposition Products:</b>	Not available.

## SECTION VI – TOXICOLOGICAL PROPERTIES

<b>Routes of Entry:</b>	Absorbed through skin. Eye contact. Inhalation. Ingestion.
<b>Acute Effects on Humans:</b>	Hazardous in case of ingestion. Hazardous in case of skin contact (irritant, sensitizer, permeator), of eye contact (irritant), of inhalation.
<b>Chronic Effects on Humans:</b>	Hazardous in case of skin contact (irritant), of eye contact (irritant). CARCINOGENIC: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: PROVEN. (Isopropyl alcohol). Repeated or prolonged exposure to the substance can produce target organs damage.
<b>Synergistic Materials:</b>	Not available.

## SECTION VII – PREVENTATIVE MEASURES

<b>Gloves:</b>	Gloves.
<b>Eye Protection:</b>	Splash goggles.
<b>Respiratory Protection:</b>	Not normally required if good ventilation is maintained and exposure guidelines are not exceeded. Wear appropriate respirator when ventilation is inadequate.
<b>Other Protective Equipment:</b>	Not normally required when used as directed.
<b>Engineering Controls:</b>	General ventilation normally adequate.
<b>Leak and Spill Procedure:</b>	Dilute with water and mop up, or absorb with an inert material and put the spilled material in an appropriate waste disposal. Absorb with dry earth, sand or other non-combustible material. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.
<b>Waste Disposal:</b>	Consult municipal, provincial, and federal laws.
<b>Storage Requirements:</b>	Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Keep out of reach of children.

## SECTION VIII – FIRST AID

<b>Eye:</b>	Check for and remove any contact lenses. IMMEDIATELY flush with plenty of water for at least 15 minutes, keeping eyelids open. COLD water may be used. DO NOT use an eye ointment. Seek medical attention.
<b>Skin:</b>	After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, and groin. COLD water may be used. Cover the irritated skin with an emollient. If irritation develops, get medical attention. Wash contaminated clothing before reusing.
<b>Inhalation:</b>	Remove to fresh air. Call a doctor if irritation develops.
<b>Ingestion:</b>	DO NOT induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness or is convulsing.

## SECTION IX – PREPERATION / OTHER INFORMATION

<b>References:</b>	Not available.
<b>Additional Remarks:</b>	No additional remark.
Validated by Allspar Solutions Inc. on April 5, 2016	

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Allspar Solutions Inc. expressly disclaims all expressed or implied warranties of merchantability and fitness for a particular purpose with respect to the product provided.